

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	43	(proxy gateway) with (cookie) and ((stor\$3 archiv\$4) with (encrypt\$3 with cookie)) and ad<"20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 06:52
L2	12	(proxy gateway) with (cookie) and ((stor\$3 archiv\$4) with (encrypt\$3 with cookie)) and @ad<"20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 06:52
L3	1	("20040078294").PN.	US-PGPUB; USPAT	OR	OFF	2009/03/24 07:23
L8	42	((proxy gateway) with (send\$4 sent forward\$4) with cookie) and @ad<"20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:11
L10	12	((proxy gateway) with decrypt \$4 with cookie) and ((proxy gateway) with (send\$4 sent forward\$4) with cookie) and @ad<"20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:33
L11	0	("(compar\$3with(encrypt \$3withpassword)) and@ad<20010104").PN.	US-PGPUB; USPAT	OR	OFF	2009/03/24 10:58
L12	133	(compar\$3 with (encrypt\$3 with password))and @ad<"20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:58
L13	0	((proxy gateway) with encrypt \$3 with password) and (compar \$3 with (encrypt\$3 with password))and @ad<"20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:59
L14	0	((proxy gateway) with encrypt \$3 with password) and (compar \$3 with (encrypt\$3 with password)) and @ad<"20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:59
S6	42	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with sensitive adj data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic adj operation checksum) and (hash \$3 same function) and (quer\$2 request\$3 password\$2) and "713"/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 17:41

S10	224	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with sensitive adj data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic adj operation checksum) and (hash adj function) and (transaction adj quer\$2 request\$3 with password\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 13:00
S11	699	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with sensitive adj data) and (ssl https) and (hash adj function) and (quer\$ request with password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 13:07
S12	591	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https) and (compression contraction adj function) and (cryptographic checksum adj function with cookie\$1) and (hash\$3 function) and (quer\$2 request\$3 password\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 13:13
S13	216	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https) and (compression contraction adj function) and (cryptographic checksum adj function with cookie\$1) and (hash\$3 function) and (quer\$2 request\$3 password\$1) and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 13:26
S14	16	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https) and (compression contraction adj function) and (cryptographic checksum adj function with cookie\$1) and (hash\$3 function) and (quer\$2 request\$3 password\$1) and "713"/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 13:27
S15	278	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function) and (hash\$3 adj function) and (transaction adj request query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:48

S16	2	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function) and (hash\$3 adj function with cookie\$1) and (transaction adj request query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 14:17
S17	2	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function) and (hash\$3 adj function with cookie) and (transaction adj request query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 14:17
S18	603	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function) and (hash\$3 adj function with cookie password) and (transaction adj request query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 17:15
S19	18	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function) and (hash\$3 adj function with password) and (transaction adj request query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 14:31
S20	18	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function) and (hash\$3 adj function with password) and (transaction adj request query) and (data with personal information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 14:32
S22	163	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function) and (hash\$3 adj function with cookie password) and (transaction adj request query) and "705"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:38

S23	6	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function with cookie\$1) and (hash\$3 adj function with password) and (transaction adj request query) and "705"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:40
S24	277	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function with cookie\$) and (hash \$3 adj function) and (transaction adj request query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:51
S25	162	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function with cookie\$) and (hash \$3 adj function) and (transaction adj request query) and tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 11:24
S26	26	(DETERMIN\$4 NEAR5 (SENSI TIVE ADJ DATA))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 12:14
S27	3	(DETERMIN\$4 NEAR5 (SENSI TIVE ADJ DATA)) AND (\$2CRYPT\$3 NEAR3 (SENSI TIVE ADJ DATA))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/22 09:18
S28	1	("6598167").PN.	USPAT	OR	OFF	2005/12/23 14:21
S29	133	((modif\$4 chang\$3 edit\$4 add \$3) with ((configur\$3 detect\$3 cookie)adj file\$1))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/23 17:21
S30	2	S29 and ((determin\$3 check\$3 identif\$4 verif\$\$) same ((sensitive personal) adj (information data)))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/23 17:22
S31	16383	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic checksum) and (hash\$3 key) and (quer\$2 request\$3 password\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:24

S32	2116	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic checksum) and (hash\$3 key) and (quer\$2 request\$3 password\$2) and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:24
S33	693	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic checksum) and (hash\$3 same function) and (quer\$2 request\$3 password\$2) and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:24
S34	683	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic adj operation checksum) and (hash\$3 same function) and (quer\$2 request \$3 password\$2) and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:24
S35	683	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with sensitive adj data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic adj operation checksum) and (hash \$3 same function) and (quer\$2 request\$3 password\$2) and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:24
S36	511	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with sensitive adj data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic adj operation checksum) and (hash \$3 adj function with key nonkey) and (quer\$2 request\$3 password\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:24

S37	511	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with sensitive adj data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic adj operation checksum) and (hash \$3 adj function with key nonkey) and (quer\$2 request\$3 password\$2) and (network with third-party same\$2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:28
S38	1387	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with sensitive adj data) and (ssl https) and (compression contraction adj function message digest fingerprint cryptographic adj operation checksum) and (hash adj function) and (quer\$2 request\$3 password\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:33
S39	37	(pattern adj match\$3 adj expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:30
S40	1	expression with (identif\$4 adj sensitive adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 11:19
S41	1	(identif\$4 adj sensitive adj data) with expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 10:14
S42	18	(identif\$4 adj sensitive adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 10:14
S43	21	("4531527" "4588991" "4712562" "4838275" "5012411" "5313521" "5418951" "5553146" "5606315" "5706365" "5772585" "5832450" "5845255" "5862223" "5864683" "5868669" "5903721" "5903889" "5940507" "6092202" "6230272").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 11:19
S44	4	(filter\$3 with ((key adj word\$1) expression pattern\$3)) same (sensitive adj (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 11:21

S45	10018	expression with sensitive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 11:31
S46	18	expression with (sensitive adj (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 11:46
S50	9	(query adj field) with expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:38
S52	14972501	us "2000196096"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:40
S54	2	"2000196096"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:40
S62	608	(determin\$3 identif\$3) with (sensitive adj (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:59
S63	19	(determin\$3 identif\$3) with (sensitive adj (data information)) with (expression pattern keyword)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:08
S65	5	apply\$3 with expression same identif\$5 with sensitive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:09
S66	17526	(request\$3 quer\$3) with (expression pattern sensitive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:12
S67	15	(request\$3 quer\$3) with (expression and pattern and sensitive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:42
S68	1	(request\$3 quer\$3) with (expression and pattern and sensitive) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:19

S69	756	((identif\$5 determin\$4 verif\$4) with ((sensitive personal) with (information data)) same (encrypt\$3 encipher\$3 encod \$3) and (payload transaction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:54
S70	456	((identif\$5 determin\$4 verif\$4) with ((sensitive personal) with (information data)) same ((encrypt\$3 encipher\$3 encod \$3) with (sensitive personal) with (information data)) and (payload transaction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:55
S71	145	((identif\$5 determin\$4 verif\$4) with ((sensitive personal) with (information data)) same ((encrypt\$3 encipher\$3 encod \$3) with (sensitive personal) with (information data)) and (payload transaction\$1) and (ssl tls https)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:55
S72	12	((identif\$5 determin\$4 verif\$4) with ((sensitive personal) with (information data)) same ((encrypt\$3 encipher\$3 encod \$3) with (sensitive personal) with (information data)) and (payload transaction\$1) and (ssl tls https) and @ay< "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:42
S74	11	payload same ((sensitive personal) adj data) same encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:13
S75	24	(gateway proxy) same payload and (encrypt\$3 with (sensitive personal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:16
S76	28	(gateway proxy firewall) same payload and (encrypt\$3 with (sensitive personal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:18
S77	10486	(payload transaction) with (sensitive personal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:19
S78	9	(payload transaction) with (sensitive personal) same (match\$3 adj (engine module unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:22

S79	110	(payload transaction) with (sensitive personal) and (match \$3 adj (engine module unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:22
S80	21	(payload transaction) with (sensitive personal) and (match \$3 adj (engine module unit)) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:22
S81	1	("6105012").PN.	USPAT	OR	OFF	2006/07/07 20:35
S82	1	("5923756").PN.	USPAT	OR	OFF	2006/07/07 20:35
S83	1	("6598167").PN.	USPAT	OR	OFF	2006/07/07 20:38
S86	1723	(identify\$3 with ((sensitive personal) adj (information data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:45
S87	3	(identify\$3 with ((sensitive personal) adj (information data))) with expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:45
S88	29	(identify\$3 with ((sensitive personal) adj (information data))) same matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:46
S89	105	("20020012473" "20020016911" "20020039420" "20020066038" "20020073232" "20020087884" "20020112167" "20030014650" "20030065919" "20030097428" "20030101355" "20030123671" "20030156719" "20030197733" "20030204513" "20040015725" "4386416" "4964164" "5222133" "5557712" "5734744" "5764235" "5828832" "5848159" "5923756" "6012198" "6061448" "6073242" "6081598" "6081900" "6098096" "6105012" "6154542" "6202157" "6216212" "6233565" "6237033" "6396926" "6397330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 10:29

		"6477646" "6578061" "6587866" "6598167" "6621505" "6757823" "6763459" "6785810" "6874089" "6886095" "6963980" "6990660").PN.				
S90	9	(payload transaction) with (sensitive personal) same (match\$3 adj (engine module unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:00
S91	982	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https) and (compression contraction adj function) and (cryptographic checksum adj function with cookie\$1) and (hash\$3 function) and (quer\$2 request\$3 password\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 17:44
S92	21	("4531527" "4588991" "4712562" "4838275" "5012411" "5313521" "5418951" "5553146" "5606315" "5706365" "5772585" "5832450" "5845255" "5862223" "5864683" "5868669" "5903721" "5903889" "5940507" "6092202" "6230272").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/04 18:09
S93	17	determine with (encrypted sensitive) with portion same (message packet) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:10
S94	12	(\$2crypt\$3 encod\$3 decod\$3 \$2cihper\$3 \$2cypher\$3 \$2scrambl\$3 with data) and (ssl https with network) and (cryptographic checksum adj function with cookie\$1) and (hash\$3 adj function with password) and (transaction adj request query) and "705"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:10
S95	3	(DETERMINE\$4 NEAR5 (SENSITIVE ADJ DATA)) AND (\$2CRYPT\$3 NEAR3 (SENSITIVE ADJ DATA))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 18:11
S96	23	(determin\$3 identif\$3) with (sensitive adj (data information)) with (expression pattern keyword)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 10:19
S97	6	("20030037138" "20030218627" "5508690" "5805911" "6442607" "6795856").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/05 10:26

S98	17	("5126728" "5345553" "5734749" "5781632" "5835722" "5850446" "5922073" "5923756" "5931948" "5960080" "6002767" "6064979" "6065120" "6115821" "6128735" "6134661" "6199079").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/05 10:50
S99	6	("20030037138" "20030218627" "5508690" "5805911" "6442607" "6795856").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/05 12:17
S100	1854	(encrypt\$3 encod\$3) with (sensitive adj (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:18
S101	60	(encrypt\$3 encod\$3) with (sensitive adj (data information)) and (non adj (sensitive adj (data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:18
S102	9	(encrypt\$3 encod\$3) with (sensitive adj (data information)) and (non adj (sensitive adj (data information))) and @ay< "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:24
S103	2742	(predefined adj pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:24
S104	3	(predefined adj pattern) and (determin\$3 identif\$3) with (sensitive adj (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:25
S105	7	(predefined adj pattern) and (determin\$3 identif\$3) same (sensitive adj (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:25
S106	195	(sensitive adj (data information)) same((non adj sensitive) adj (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:59
S107	60	(sensitive adj (data information)) same((non adj sensitive) adj (data information)) and ((encrypt\$3 encod\$3) with (sensitive adj (data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:00

S108	9	(sensitive adj (data information)) same((non adj sensitive) adj (data information)) and ((encrypt\$3 encod\$3) with (sensitive adj (data information))) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:06
S109	3392	(encrypt\$3 encod\$3) with (credit adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:06
S110	644	(encrypt\$3 encod\$3) near (credit adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:06
S111	72	(encrypt\$3 encod\$3) near (credit adj card) and (sensitive adj (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:08
S112	19	(encrypt\$3 encod\$3) near (credit adj card) and (sensitive adj (data information)) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:23
S113	17	(transaction query request) with (encrypted adj sensitive adj (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:24
S114	1	("6185681").PN.	USPAT	OR	OFF	2007/11/08 14:31
S115	90	("6233565").URPN.	USPAT	OR	ON	2007/11/08 12:41
S116	1	("6584567").PN.	USPAT	OR	OFF	2007/11/08 14:32
S117	1	("6584567").PN.	USPAT	OR	OFF	2007/11/09 11:27
S118	9	(predefined adj pattern) and (determin\$3 identif\$3) same (sensitive adj (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 11:27

S119	26	((("5142272") or ("5463702") or ("5825917") or ("5963642") or ("5999629") or ("6021198") or ("6094485") or ("6098093") or ("6233577") or ("6321201") or ("6473802") or ("6502135") or ("6519365") or ("6553393") or ("6615276") or ("6640302") or ("6678733") or ("6681327") or ("6751677") or ("6915427") or ("6941459") or ("6990636") or ("7137143") or ("7272229") or ("7266699") or ("7325129"))). PN.	USPAT	OR	OFF	2008/04/25 10:22
S120	7	((sensitive adj data) with quer \$2) same encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 10:47
S121	186	("4097923" "4436992" "4447890" "4725718" "4743747" "4757537" "4760534" "4774500" "4775246" "4802218" "4812994" "4825053" "4831566" "4837701" "4853865" "4853961" "4855920" "4864618" "4873645" "4900903" "4900904" "4901241" "4907161" "4949381" "4969381" "4998204" "4999481" "5077792" "5111030" "5142577" "5181245" "5185243" "5200903" "5202834" "5224046" "5233531" "5233657" "5243654" "5257196" "5257197" "5309363" "5319562" "5323323" "5341505" "5357563" "5369258" "5375172" "5377268" "5387783" "5448641" "5452203" "5454038" "5457636" "5480239" "5510992" "5513112" "5535279" "5570465" "5583779" "5583970" "5586036" "5598477" "5602742" "5602921" "5606507" "5606613" "5612889" "5666284" "5666421" "5671146" "5682318" "5682429" "5717597" "5742683" "5774886" "5778076" "5781438" "5781634" "5796834" "5801364" "5801944" "5812991"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/25 11:21

		"5819240" "5835087" "5850446" "5889863").PN. OR ("6233565").URPN.				
S122	2	"20020015497"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:33
S123	4	"20020100036"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:33
S124	3	"20030046572"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:33
S125	2	"20040255140"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:34
S126	2	"20050004924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:34
S127	2	"20060041533"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:34
S128	2	"20060149962"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:34
S129	2	"20070074047"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:35
S130	2	"20070079140"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:35
S131	2	"20070079386"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:35

S132	3	"11341060"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 12:37
S133	58	("20020099936" "20020112185" "20030191737" "20030191957" "5787436" "5889943" "5924094" "6085224" "6088803" "6185567" "6226788" "6233618" "6314456" "6345300" "6397225" "6484149" "6584569" "6591266" "6615242" "6721721" "6757830" "6804662" "6848000" "6938041" "6996845" "6061677" "6085224" "6141759" "6199113").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 09:52
S134	11	"705".clas. and (storing with (encrypt\$3 adj password)) and database and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 07:04
S135	2	"705".clas. and (storing with (encrypt\$3 adj password)) and database and transaction and @ad< "20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 07:04
S136	2	((("5241594") or ("6529885"))). PN.	US-PGPUB; USPAT	OR	OFF	2009/03/20 07:17
S137	28	("6529885").URPN.	USPAT	OR	ON	2009/03/20 07:35
S138	72	("20020015497" "20020100036" "20030039362" "20030046572" "20040255140" "20050004924" "20060041533" "20060149962" "20070074047" "20070079140" "20070079386" "5142272" "5463702" "5825917" "5963642" "5999629" "6021198" "6094485" "6098093" "6233577" "6321201" "6473802" "6502135" "6519365" "6553393" "6615276" "6640302" "6678733" "6681327" "6751677" "6915427" "6941459" "6990636" "7137143" "7266699" "7272229" "7325129").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 09:11

S139	53	((secur\$4 near3 stor\$4) with server) AND ((client with server) with proxy) AND (@ad<"20010104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 10:18
S140	11	((secur\$4 near3 stor\$4) with server) AND ((client with server) with proxy) and cookie AND (@ad<"20010104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 10:19
S141	44	("20010039587" "5245656" "5586260" "5671279" "5673322" "5678041" "5708780" "5740252" "5740361" "5754938" "5764890" "5802320" "5805803" "5825890" "5826025" "5826242" "5889956" "5892761" "5905872" "5933827" "5978799" "5987454" "5991795" "5991810" "6029175" "6049821" "6049877" "6052785" "6105027" "6128627" "6131095" "6144996" "6182141" "6253326" "6272492" "6298380" "6330561" "6389460" "6487538").PN. OR ("7146505"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/20 13:52
S142	3	((("6985953") or ("6311269") or ("7430757"))).PN.	US-PGPUB; USPAT	OR	OFF	2009/03/23 09:35
S143	18	("5530852" "5678041" "5729594" "5875296" "5933811" "5963915" "5987440" "6049877" "6226752" "6233577" "6314521" "6341353" "6385596" "6411998" "6460071" "6510439" "6601169" "6691113").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/23 09:54
S144	29	("5623601" "5706434" "5764750" "5781550").PN. OR ("6584567").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/23 13:40
S145	61	("20020012473" "20020015497" "20020016911" "20020039420" "20020066038" "20020073232" "20020087884" "20020112167" "20030014650" "20030065919" "20030097428" "20030101355" "20030123671" "20030156719"	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/23 13:45

		"20030197733" "20030204513" "20040015725" "4386416" "4964164" "5222133" "5557712" "5734744" "5764235" "5828832" "5848159" "5923756" "6021198" "6061448" "6073242" "6081598" "6081900" "6094485" "6098096" "6105012" "6154542" "6202157" "6216212" "6233565" "6233577" "6237033" "6396926" "6397330" "6477646" "6502135" "6578061" "6584567" "6587866" "6598167" "6615276" "6621505" "6678733" "6681327" "6751677" "6757823" "6763459" "6785810" "6874089" "6886095" "6941459" "6963980" "6990660").PN.				
S146	7	("2004/0015725").URPN.	USPAT	OR	ON	2009/03/23 14:24
S147	118	(proxy gateway) with (sensitive) and ((stor\$3 archiv\$4) with sensitive) and ad<"20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/23 14:30
S148	19	(proxy gateway) with (sensitive) and ((stor\$3 archiv\$4) with (encrypt\$3 with sensitive)) and ad<"20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/23 14:31
S149	0	("2007/0294539").URPN.	USPAT	OR	ON	2009/03/23 14:40
S150	28	"5442699"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/23 14:41
S151	7	((("5442699") or ("6360324") or ("6968456") or ("6981141") or ("20040230792") or ("20040255133") or ("20050044366"))).PN.	US-PGPUB; USPAT	OR	OFF	2009/03/23 14:42
S152	1	("7111005").PN.	US-PGPUB; USPAT	OR	OFF	2009/03/23 14:54
S153	8	("5052040" "5311595" "5751949" "5924094" "6185681" "6292899" "6564225").PN. OR ("7111005"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/23 15:06

3/ 24/ 2009 11:54:55 AM

C:\ Documents and Settings\ bto3\ My Documents\ EAST\ Workspaces\ 10038169.wsp